

Freestanding DHW cylinder SBB 751/1001, SBB 751/1001 SOL

The large SBB freestanding cylinders are ideal for large heat pumps in apartment buildings. With the SOL version, it is also possible to integrate a solar thermal system. Furthermore there are parallel connection options. The WTS charging station from the range of accessories is required for DHW heating and cylinder heating in conjunction with a heat pump.

The most important features

Cylinder with 750 and 1000 litres (subject to model)

For DHW heating in an apartment building

Can be combined with a solar thermal system (SOL version)

DHW heating in heat pump mode via matching charging station WTS 30/40 (accessory)

Highly effective insulation for low heat losses (option)





Type	SBB 751	SBB 1001	SBB 751 SOL	SBB 1001 SOL
Type	SBB 751	SBB 1001	SBB 751 SOL	SBB 1001 SOL
Part no.	229292	229293	229294	229295
Rated capacity	750 l	1000 l	750 l	1000 l
Height	1777 mm	2277 mm	1777 mm	2277
Diameter incl. thermal insulation	1010 mm	1010 mm	1010 mm	1010 mm
Specification				
DHW connection	G 2 A	G 2 A	G 2 A	G 2 A
Cold water connection	G 2 A	G 2 A	G 2 A	G 2 A
Charging station connection	G 2 A	G 2 A	G 2 A	G 2 A
Heater rod connection	1 x G 1 1/2	1 x G 1 1/2	1 x G 1 1/2	1 x G 1 1/2
Heat exchanger connection			G 1	G 1
Surface, indirect coil			3 m ²	3,90 m ²
Flanged aperture	280 mm	280 mm	280 mm	280 mm
Height of unit when tilted	1840 mm	2335 mm	1840 mm	2335 mm
Weight	210 kg	267 kg	242 kg	296 kg